

bizhub 4751i Black & White A4 multifunctional





CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customized user interface

OPTIONS

(

2

1 ENHANCED FEATURES	
Barcode fonts LK-106	
Unicode fonts LK-107	
OCR A and B fonts LK-108	
Document converter pack LK-110v2	
ThinPrint [®] client LK-111	
Antivirus LK-116	



Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Security Secure network integration, data encryption, and advanced user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



Services Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



Sustainability Numerous eco features reduce energy consumption and costs

CONNECTIVITY	
Fax board FK-517	
Wireless LAN UK-221	
USB I/F kit EK-P08	L
USBI/Fkit EK-P09	
Card authentication ID card reader	
Mount kit MK-P08	

1	3
Relicitment	2
bizhub 4751i	
4	2
	3
0	- 0



OTHERS	4 MEDIA INPUT	5 MEDIA OUTPUT
Working Table WT-P03	Paper tray PF-P28	2 Off-line stapler FS-P04
Replacement SSD EM-908	Height adjustment unit PF-P25	
Double feed detection kit UK-P19	Copier desk DK-P05	
0-Key pad P-102		
Keyboard holder KH-P02		
External Keyboard		

FINISHING FUNCTIONALITIES



DESCRIPTION

3

ENHANCED FEATURES	
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint [®] client	Print data compression for reduced network impact
LK-116 Antivirus	Bitdefender [®] antivirus provides real time scanning of all
	incoming and outgoing data
CONNECTIVITY	
FK-517 Fax board	Super G3 fax, digital fax functionality (Standard)
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode (Standard)
EK-P08 USB I/F kit	
	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection USB keyboard connection; Bluetooth

Installation kit for ID card reader

HERS	
F-P03 Working Table	Authentication device placement
I-908 Replacement SSD	1 TB SSD to increase storage space
-P19 Double feed detection kit	Multi-feed detector to reduce errors and paper jams
-102 10-Key pad	For use instead of touchscreen
-P02 Keyboard holder	To place USB keyboard
ternal Keyboard	External Keyboard
-102 10-Key pad -P02 Keyboard holder	For use instead of touchscreen To place USB keyboard

MEDIA INPUT

PF-P28 Paper tray	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 g/m ²
PF-P25 Height adjustment unit	To achieve comfortable height for operation
DK-P05 Copier desk	Provides storage space for print media and other materials

MEDIA OUTPUT

FS-P04 Off-line stapler

20-sheet off-line stapling

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

MK-P08 Mount kit

STSTEM SPECIFICATIONS	
System speed Letter	Up to 50 ppm
Auto Duplex speed Letter	Up to 50 ppm
1st page out time Letter	4.3 sec.
Warm-up time	Approx. 13 sec. ¹
Imaging technology	Laser
Toner technology	Simitri [®] V polymerized toner
Panel size/resolution	10.1" / 1024 x 600
System memory	5 GB (standard/max)
Solid State Drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0;
	Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 80 originals; 8.5" x 14"L to 5.5" x 8.5"; 50-128 g/m ² ;
	Dual Scan ADF
ADF double feed detection	Optional
Printable paper size	3.5" x 8.8" to 8.5" x 14"; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Paper tray input (standard)	1x 500; 3.9" x 5.8" to 8.5" x 11" ; custom sizes; 60-210 g/m^2
Paper tray input (optional)	2x 500 sheets; 8.5" x 11" or 8.5" x 14" ; 60-90 g/m ² (up to 2x)
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60-210 g/m ²
Finishing modes (optional)	Group; Sort; Staple (offline)
Automatic duplexing	4.7" x 8.8" to 8.5" x 14"; 60-210 g/m ²
Output capacity	Up to 250 sheets
Duty cycle (monthly)	Rec. 6,500 pages; Max. ² 120,000 pages
Toner lifetime	Black up to 20,000 pages
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)
Power consumption	110-120V, 60Hz; Less than 1.45 kW
System dimension (W x D x H)	18.5" x 20.8" x 22.5" (without options)
System weight	Approx. 77 lb. (without options)

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012;
	Windows Server 2012 R2; Windows Server 2016;
	Windows Server 2019; Windows Server 2022;
	macOS 10.x -13.x; Unix; Linux; Citrix
Printer fonts	80 PCL Latin;
	137 PostScript 3 Emulation Latin; Barcode fonts (optional);
	OCR A and B fonts (optional); Unicode fonts (optional)
Mobile printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Mobile Print (iOS/Android)
	Konica Minora Mobile Finit (103/Antroid)
	optional: WiFi Direct;
SCANNER SPECIFICATIONS	
SCANNER SPECIFICATIONS	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android)
SCANNER SPECIFICATIONS Scan speed	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color)
Scan speed	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color)
Scan speed Scan resolution	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi
Scan speed Scan resolution	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
Scan speed Scan resolution	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
Scan speed Scan resolution Scan modes	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
Scan speed Scan resolution Scan modes	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS
Scan speed Scan resolution Scan modes	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS PPTX; PDF/A 1a and 1b
	optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) 48 opm in simplex (mono/color) 96 opm in duplex (mono/color) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS

COPIER SPECIFICATIONS

4

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	3.5" x 8.8" to 8.5" x 14"
Magnification	25-400% in 0.1% steps; Auto-zooming

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analog; i-Fax; Color i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with
	authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES		
Security	ISO 15408 HCD-PP Common Criteria (in evaluation);	
	IP filtering and port blocking; SSL3 and TLS1.1/1.2/1.3 network	
	communication; IPsec support; IEEE 802.1x support;	
	User authentication; Authentication log; Secure print; Kerberos;	
	Data encryption (AES 256); Confidential fax; Print user data	
	encryption optional: Antivirus realtime scanning (Bitdefender®)	
Accounting	Up to 1,000 user accounts; Active Directory support (user	
	name + password + e-mail + smb folder); User function access	
	definition; Authentication by mobile device (Android); ID card	
	authentication (ID card reader); Authentication by mobile device	
	(iOS)	
Software	Net Care Device Manager; Data Administrator; Box Operator;	
	Web Connection; Print Status Notifier; Driver Packaging Utility;	
	Log Management Utility	

¹ Warm-up time may vary depending on the operating environment and usage

- ² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to letter-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
 particular page size (6% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature
 and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change
 without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	Industrial Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	3D Printers
Mobility	Apple Managed Services	Scanners
eDiscovery Services	Managed Voice Services	Security Surveillance Systems
	Technology Implementation and Deployment	Laptops, Desktops and Computer Hardware
		Servers and Networking Equipment
		Managed Print Services (MPS)

For complete information on Konica Minolta products and solutions, please visit: **CountOnKonicaMinolta.com**







Managed Enterprise Services









February 2024

CountOnKonicaMinolta.com