

bizhub сээон Color A4 printer





CUSTOMER BENEFITS



Intuitive operability
Operate the bizhub like a smartphone or tablet
with fully customized user interface



Mobile connectivityPrint anytime from anywhere with Konica
Minolta's innovative mobile technologies




Services

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



SustainabilityNumerous eco features reduce energy consumption and costs

OPTIONS









Paper tray PF-P28

Height adjustment unit PF-P25



Off-line stapler FS-P04



FINISHING FUNCTIONALITIES





Duplex

Stapling (offline)

DESCRIPTION

CONNECTIVITY

UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode	
EK-P08 USB I/F kit	USB keyboard connection	
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth	
EK-P10 NFC I/F kit	To connect with Android mobile devices	
ID card reader	Various ID card technologies	
MK-P08 Mount kit	Installation kit for ID card reader	

OTHERS

WT-P03 Working Table	Authentication device placement	
KP-P03 10-Key pad	For use instead of touchscreen	
KH-P02 Keyboard holder	To place USB keyboard	
External Keyboard	External Keyboard	

MEDIA INPUT

PF-P28 Paper tray	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 g/m²	
PF-P25 Height adjustment unit	To achieve comfortable height for operation	
DK-P05 Copier desk	Provides storage space for print media and other materials	

MEDIA OUTPUT

FS-P04 Off-line stapler 20-sheet off-line stapling

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS System speed Letter

System speed Letter	Up to 35/35 ppm (mono/color)		
Autoduplex speed Letter	Up to 35/35 ppm (mono/color)		
1st page out time Letter	8.7/9.6 sec. (mono/color)		
Warm-up time	Approx. 13/15 sec. (mono/color) ¹		
Imaging technology	Laser		
Toner technology	Simitri® V polymerized toner		
Panel size/resolution	7" / 800 x 480		
System memory	3 GB (standard/max)		
Micro SD	8 GB (standard)		
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;		
	Wi-Fi 802.11 b/g/n/ac (optional)		
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour		
Printable paper size	3.5" x 8.8" to 8.5" x 14"; customized paper sizes		
Printable paper weight	60-210 g/m ²		
Paper input capacity	600 sheets / 1,600 sheets (standard/max)		
Paper tray input (standard)	1x 500; 3.9" x 5.8" to 8.5" x 11"; custom sizes; 60-210 g/m ²		
Paper tray input (optional)	$2x500$ sheets; $8.5''x11''$ or $8.5''x14''$; $60\text{-}210g/m^2$		
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60-210 $\mbox{g/m}^2$		
Finishing modes (optional)	Group; Sort; Staple (offline)		
Automatic duplexing	4.7 " x 8.8 " to 8.5 " x 14 "; $60-210 g/m^2$		
Output capacity	Up to 250 sheets		
Duty cycle (monthly)	Rec. 6,500 pages; Max. ² 96,000 pages		
Toner lifetime	Black up to 13,000 pages		
	CMY up to 9,000 pages		
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)		
	CMY up to 100,000 pages (imaging unit)		
Power consumption	110-120 V / 50/60 Hz; Less than 1.45 kW		
System dimension (W x D x H)	16.5" x 20.8" x 18.6" (without options)		
System weight	Approx. 73 lb. (without options)		

PRINTER SPECIFICATIONS

PRINTER SPECIFICATIONS		
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi	
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS	
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012;	
	Windows Server 2012 R2; Windows Server 2016;	
	Windows Server 2019; Windows Server 2022;	
	macOS 10.14 or later; Unix; Linux; Citrix	
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin;	
	Barcode fonts (optional); OCR A and B fonts (optional);	
	Unicode fonts (optional)	
Mobile printing	AirPrint (iOS); Mopria (Android);	
	Konica Minolta Mobile Print (iOS/Android)	
	optional: WiFi Direct	
SYSTEM FEATURES		
Cocurity	ID filtoring and port blocking:	

Log Management Utility

- ¹ Warm-up time may vary depending on the operating environment and usage
- ² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to letter-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
- particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

 - Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	Industrial Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	3D Printers
Mobility	Apple Managed Services	Scanners
eDiscovery Services	Managed Voice Services	Security Surveillance Systems
	Technology Implementation	Laptops, Desktops and Computer Hardware
	and Deployment	Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services

For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

















